


COFC




Docket No.: M0925.70086US00
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Timothy M. Swager
Serial No.: 09/777,725
Confirmation No.: 6084
Issued: March 6, 2007
Patent No.: 7,186,355
For: INSULATED NANOSCOPIC PATHWAYS, COMPOSITIONS AND
DEVICES OF THE SAME

Examiner: J. Riley
Art Unit: 1637

Certificate of Mailing Under 37 CFR 1.8(a)	
I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the U.S. Postal Service on the date shown below with sufficient postage as First Class Mail, in an envelope addressed to: Attention: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.	
Dated: January <u>18</u> , 2008	 Tina M. Hanifin

TRANSMITTAL LETTER

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Enclosed are the following items for filing in connection with the above-referenced

Patent:

1. Request for Certificate of Correction;
2. Certificate of Correction; and
3. Return Receipt Postcard.

**Certificate
of Correction**
JAN 25 2008
RECEIVED-USPTO
Patent Publication

JAN 25 2008

Application No.: 09/777,725
U.S. Patent No.: 7,186,355

2

Docket No.: M0925.70086US00

The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Deposit Account No. 23/2825, under Docket No. M0925.70086US00. A duplicate copy of this paper is enclosed.

Dated: January 18, 2008

Respectfully submitted,

By 

Timothy J. Oyer, Ph.D.

Registration No.: 36,628

Karen V. Martin, Ph.D.

Registration No.: 61,652

WOLF, GREENFIELD & SACKS, P.C.

Federal Reserve Plaza

600 Atlantic Avenue

Boston, Massachusetts 02210-2206

(617) 646-8000

RECEIVED-USPTO
Patent Publication

JAN 25 2008




Docket No.: M0925.70086US00
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Timothy M. Swager
Serial No.: 09/777,725
Confirmation No.: 6084
Issued: March 6, 2007
Patent No.: 7,186,355
For: INSULATED NANOSCOPIC PATHWAYS, COMPOSITIONS AND
DEVICES OF THE SAME

Examiner: J. Riley
Art Unit: 1637

Certificate of Mailing Under 37 CFR 1.8(a)	
I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the U.S. Postal Service on the date shown below with sufficient postage as First Class Mail, in an envelope addressed to: Attention: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.	
Dated: January <u>18</u> , 2008	 Tina M. Hanifin

TRANSMITTAL LETTER

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Enclosed are the following items for filing in connection with the above-referenced

Patent:

1. Request for Certificate of Correction;
2. Certificate of Correction; and
3. Return Receipt Postcard.

Application No.: 09/777,725
U.S. Patent No.: 7,186,355

2

Docket No.: M0925.70086US00

The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Deposit Account No. 23/2825, under Docket No. M0925.70086US00. A duplicate copy of this paper is enclosed.

Dated: January 18, 2008

Respectfully submitted,

By 

Timothy J. Oyer, Ph.D.

Registration No.: 36,628

Karen V. Martin, Ph.D.

Registration No.: 61,652

WOLF, GREENFIELD & SACKS, P.C.

Federal Reserve Plaza

600 Atlantic Avenue

Boston, Massachusetts 02210-2206

(617) 646-8000

RECEIVED-USPTO
Patent Publication

JAN 25 2008



Docket No.: M0925.70086US00
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


Applicant: Timothy M. Swager
Serial No.: 09/777,725
Confirmation No.: 6084
Filed: February 5, 2001
Patent No.: 7,186,355
For: INSULATED NANOSCOPIC PATHWAYS, COMPOSITIONS AND
DEVICES OF THE SAME

Examiner: J. Riley
Art Unit: 1637

Certificate of Mailing Under 37 CFR 1.8(a)

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the U.S. Postal Service on the date shown below with sufficient postage as First Class Mail, in an envelope addressed to: Attention: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Dated: January 18, 2008


Tina M. Hanifin

**REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 CFR 1.322**

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted errors which should be corrected.

In the Specification:

At column 1, line 10, please insert the following:

-- Statement Regarding Federally Sponsored Research or Development


RECEIVED-USPTO
Patent Publication

JAN 25 2008

This invention was made with the support under the following government contract: N00014-97-1-0174 awarded by the Office of Naval Research. The government has certain rights in the invention.--

At column 8, line 27, please insert the following:

--In some embodiments, an article of the present invention may comprise a nanoscopic pathway having a conductivity, an insulating dielectric surrounding the nanoscopic pathway, and a nanoscopic switch in electronic communication with the nanoscopic pathway being capable of altering the conductivity of the nanoscopic pathway. The nanoscopic pathway may comprise a conducting polymer, wherein the conducting polymer has a structure comprising the formula:




wherein A and C are aromatic groups; B and D can be a heteroatom or metal and chosen from a group of N, P, S, As, Se, or -CC-M-CC-(M=FeL_x, RuL_x, PdL_x, PtL_x, CoL_x, RhL_x, where L is neutral (phosphine, nitrogen, or π -arene based ligand) or charged (nitrogen, oxygen, or charged π -arene ligand), or are selected from the group consisting of a carbon-carbon double bond and a carbon-carbon triple bond; and any hydrogen on aromatic group A and C can be replaced by E and F respectively, wherein a and b are integers which can be the same or different and a = 0 - 4, b = 0 - 4 such that when a = 0, b is nonzero and when b = 0, a is nonzero, and at least one of E and F includes a bicyclic ring system having aromatic or non-aromatic groups optionally interrupted by O, S, NR¹ and CR¹₂ wherein R¹ is selected from the group consisting of hydrogen, C₁-C₂₀ alkyl, C₁-C₂₀ alkoxy and aryl and n is less than about 10,000, and wherein, when E or F is not said bicyclic ring system, E or F is a part of aromatic group A or C.

In some cases, E_a may be covalently attached to A, and the conducting polymer comprises the structure:

RECEIVED-USPTO
Patent Publication


JAN 25 2008




wherein G, H, I, and J are aromatic groups, $d = 1, 2$, and $d^1 = 0, 1$, such that when $d^1 = 0$, $d^2 = 0$ and when $d^1 = 1$, $d^2 = 0, 1$. In some embodiments, G and H may be the same or different, and each may be selected from the group consisting of:

RECEIVED-USPTO
Patent Publication

JAN 25 2008



In some embodiments, I and J may be the same or different and each is selected from the group consisting of:




wherein any hydrogen in G, H, I and J can be substituted by R^2 , R^2 is selected from the group consisting of C_1 - C_{20} alkyl, aryl, C_1 - C_{20} alkoxy, phenoxy, C_1 - C_{20} thioalkyl, thioaryl, $C(O)OR^3$, $N(R^3)(R^4)$, $C(O)N(R^3)(R^4)$, F, Cl, Br, I, NO_2 , CN, acyl, carboxylate, hydroxy, R^3 and R^4 can be the same or different and each is selected from the group consisting of hydrogen, C_1 - C_{20} alkyl, and aryl, Z^1 is selected from the group consisting of O, S and NR^8 wherein R^8 is selected from the group consisting of hydrogen, C_1 - C_{20} alkyl, and aryl, and Z^2 is selected from the group consisting of F, Cl, OR^3 , SR^3 , NR^3R^4 and $SiR^8R^3R^4$.


In some embodiments, A may be selected from the group consisting of:

RECEIVED-USPTO
Patent Publication

JAN 25 2008




wherein any hydrogen in A can be substituted by R^5 , R^5 is selected from the group consisting of C_1 - C_{20} alkyl, aryl, C_1 - C_{20} alkoxy, phenoxy, C_1 - C_{20} thioalkyl, thioaryl, $C(O)OR^6$, $N(R^6)(R^7)$, $C(O)N(R^6)(R^7)$, F, Cl, Br, NO_2 , CN, acyl, carboxylate, hydroxy; R^6 and R^7 can be the same or different and each is selected from the group consisting of hydrogen, C_1 - C_{20} alkyl, and aryl; Z^1 is selected from the group consisting of O, S and NR^8 and R^8 is selected from the group consisting of hydrogen, C_1 - C_{20} alkyl, and aryl; B and D can be the same or different and each is selected from the group consisting of:



wherein any hydrogen in B and D can be substituted by R^9 , R^9 is selected from the group consisting of C_1 - C_{20} alkyl, aryl, C_1 - C_{20} alkoxy, phenoxy, C_1 - C_{20} thioalkyl, thioaryl, $C(O)OR^{10}$, $N(R^{10})(R^{11})$, $C(O)N(R^{10})(R^{11})$, F, Cl, Br, NO_2 , CN, acyl, carboxylate, hydroxy, R^{10} and R^{11} can be the same or different and each is selected from the group consisting of hydrogen, C_1 - C_{20} alkyl, and aryl; C may be selected from the aromatic group consisting of:


RECEIVED-USPTO
Patent Publication

JAN 25 2008




wherein R^{12} is selected from the group consisting of hydrogen, C_1 - C_{20} alkyl and aryl; any hydrogen in C can be substituted by F which is represented by R^{13} , R^{13} is selected from the group consisting of C_1 - C_{20} alkyl, aryl, C_1 - C_{20} alkoxy, phenoxy, C_1 - C_{20} thioalkyl, thioaryl, $C(O)OR^{14}$, $N(R^{14})(R^{15})$, $C(O)N(R^{14})(R^{15})$, F, Cl, Br, NO_2 , CN, acyl, carboxylate, hydroxy; R^{14} and R^{15} can be the same or different and each is selected from the group consisting of hydrogen, C_1 - C_{20} alkyl, and aryl; Z^2 is selected from the group consisting of O, S and NR^{16} and R^{16} is selected from the group consisting of hydrogen, C_1 - C_{20} alkyl, and aryl.

In one set of embodiments, A may be selected from the group consisting of:



and both B and D may be:



In the Claims, column 28, line 36, please add the following:

RECEIVED-USPTO
Patent Publication

JAN 25 2008

--5. The article of claim 1, wherein the conducting polymer is selected from the group consisting of polyaniline, polythiophene, polypyrrole, polyphenylene, polyarylene, poly(bisthiophene phenylene), a conjugated ladder polymer, polyiptycene, polytriphenylene, poly(arylene vinylene), poly(arylene ethynylene), and organic and transition metal derivatives thereof.

6. The article of claim 1, wherein a portion of the conducting polymer comprises a multi-dentate ligand.

7. The article of claim 1, further comprising a metal ion bonded to a portion of the conducting polymer.

8. The article of claim 1, wherein the nanoscopic pathway comprises a pathway of nanoparticles.

9. The article of claim 8, wherein the nanoparticles are selected from the group consisting of nanotubes, metal clusters, semiconductor clusters, colloids and fibers.

10. The article of claim 9, wherein the nanotubes are selected from the group consisting of carbon nanotubes and metallized nanotubes.

11. The article of claim 9, wherein the colloids are selected from the group consisting of gold colloids and silver colloids.

12. The article of claim 9, wherein the colloids comprise colloidal aggregates.

13. The article of claim 9, wherein the fibers comprise graphite.

14. The article of claim 1, wherein the nanoscopic pathway comprises a biological species.

RECEIVED-USPTO
FEB 11 2008

JAN 25 2008

15. The article of claim 14, wherein the biological species is selected from the group consisting of DNA and redox-active enzymes.
16. The article of claim 1, wherein the nanoscopic pathway includes a metal ion.
17. The article of claim 16, wherein the metal ion is selected from the group consisting of transition metals, lanthanides and actinides.
18. The article of claim 16, wherein the metal ion is selected from the group consisting of iron, copper, nickel, cobalt, ruthenium, iridium, manganese, chromium, molybdenum, vanadium, uranium.
19. The article of claim 1, wherein the dielectric is selected from the group consisting of a polymer, a ceramic, a solvent, a vacuum, a gas, a liquid crystal phase, a microphase-separated block copolymer structure and combinations thereof.
20. The article of claim 19, wherein the dielectric comprises a polymer.
21. The article of claim 20, wherein the dielectric polymer is selected from the group consisting of polyolefins, polyesters, polyamides, polyarylenes, polyethers, polyketones, polyarylsulfides, fluoropolymers, polyacrylates, polymethacrylates, polysiloxanes, polystyrene, polyurethanes, proteins and derivatives thereof.
22. The article of claim 20, wherein the dielectric polymer comprises a gel.
23. The article of claim 20, wherein the dielectric polymer is attached to the conducting polymer.

RECEIVED-USPTO
Patent Publication

JAN 25 2008

24. The article of claim 23, wherein the dielectric polymer is attached to the conducting polymer via a chemical bond.
25. The article of claim 24, wherein the dielectric polymer is chemically bonded to the conducting polymer via a metal ion.
26. The article of claim 19, wherein the ceramic is selected from the group consisting of a metal oxide and a mixed metal oxide.
27. The article of claim 26, wherein the ceramic is a silicate.
28. The article of claim 27, wherein the silicate is a porous silicate.
29. The article of claim 1, wherein the dielectric comprises a biological species.
30. The article of claim 1, wherein the dielectric includes a metal ion.
31. The article of claim 1, wherein at least a portion of the nanoscopic pathway or the dielectric comprises a block co-polymer.
32. The article of claim 31, wherein the block co-polymer includes blocks comprising a dielectric.
33. The article of claim 32, wherein the dielectric is selected from the group consisting of polyolefins, polyesters, polyamides, polyarylenes, polyethers, polyketones, polyarylsulfides, fluoropolymers, polyacrylates, polymethacrylates, polysiloxanes, polystyrene, polyurethanes, proteins and derivatives thereof.

RECEIVED-USPTO
Patent Publication

JAN 25 2008

34. The article of claim 31, wherein the block co-polymer includes blocks comprising a conducting material.

35. The article of claim 34, wherein the blocks comprising a conducting material is selected from the group consisting of a conjugated organic group and nanoparticles.

36. The article of claim 35, wherein the conjugated organic group is selected from the group consisting of polyaniline, polythiophene, polypyrrole, polyphenylene, polyarylene, poly(bisthiophene phenylene), a carbon ladder polymer, polyiptycene, polytriphenylene, poly(arylene vinylene), poly(arylene ethynylene), and organic and transition metal derivatives thereof.

37. The article of claim 35, wherein the nanoparticles are selected from the group consisting of nanotubes, metal clusters, colloids, and fibers.

38. The article of claim 1, wherein the dielectric is non-conducting at a first electrochemical potential range and is capable of having a resistivity of less than 10^{-4} times a resistivity at a second chemical potential.

39. The article of claim 1, wherein the nanoscopic switch is positioned in at least a portion of the dielectric.

40. The article of claim 1, wherein the nanoscopic switch is positioned in the nanoscopic pathway.

41. The article of claim 1, wherein the nanoscopic switch and the nanoscopic pathway are capable of being redox-matched.

RECEIVED-USPTO
Patent Publication


JAN 25 2008

42. The article of claim 1, wherein the nanoscopic switch is redox-active.
43. The article of claim 1, wherein the nanoscopic switch is a metal ion.
44. The article of claim 1, wherein the nanoscopic switch comprises a biological species selected from the group consisting of DNA and a redox-active enzyme.
45. The article of claim 1, wherein the nanoscopic switch is attached to a portion of the conducting polymer.
46. The article of claim 1, wherein the nanoscopic switch is capable of being activated to alter the conductivity of the nanoscopic pathway.
47. The article of claim 46, wherein the nanoscopic switch is capable of altering the conductivity upon binding to an analyte.
48. The article of claim 1, wherein the nanoscopic pathway is a conductor within a first electrochemical potential range.
49. The article of claim 48, wherein the nanoscopic pathway is a first nanoscopic pathway, and the dielectric comprises a second nanoscopic pathway.
50. The article of claim 49, wherein the second pathway is a conductor within a second electrochemical potential range.
51. The article of claim 50, wherein the second electrochemical potential range is greater than the first electrochemical potential range.


RECEIVED-USPTO
Patent Publication

JAN 25 2008

52. The article of claim 49, wherein the second pathway is DNA.
53. The article of claim 1, wherein the nanoscopic pathway and the nanoscopic switch are redox-matched.
54. The article of claim 53, wherein the nanoscopic pathway and the nanoscopic switch are redox-matched within a defined electrochemical potential range.
55. The article of claim 16, wherein the nanoscopic pathway and metal ion are not redox-matched when the metal ion has a first ligand environment, and wherein the nanoscopic pathway and the metal ion are redox matched when the metal ion has a second ligand environment.
56. A sensor comprising the article of claim 1, for detecting the presence of an analyte.
57. The sensor of claim 56, wherein the nanoscopic switch is a detection site for the analyte.
58. The sensor of claim 57, wherein the sensor further comprises two electrodes positioned at either end of the nanoscopic pathway.
59. The article of claim 1, wherein the conducting polymer has a structure comprising the formula:




wherein M is a metal ion, n denotes a number of monomer units, n being at least 3, the polymeric

structure comprising linkages through at least one atom in , and


RECEIVED-USPTO
PUBLICATION

JAN 25 2008


 and X are selected from the group consisting of alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, cycloalkynyl, aryl, alkaryl, aralkyl and optionally interrupted or terminated by N, O, P, S, heteroalkyl, heteroaryl, carbonyl, acyl, acyloxy, —CHO, —COOR¹, —CO₂C(R¹)₃, —CONC(R¹)₂, cyano, nitro, alkyloxy, aryloxy, hydroxyl, hydroxyalkyl, amino, alkylamino, dialkylamino, arylamino, diarylamino, —NR¹COR², thioalkyl, thioaryl, —SO₂R¹, —SOR¹, —SO₂OR¹, F, Cl, Br, and I; R¹ and R² can be the same or different, and each is selected from the group consisting of hydrogen, C1-C10 alkyl, C1-C10 heteroalkyl, aryl, heteroaryl, hydroxy, F, Cl, Br, and I, and m = 0 - 3.

60. The article of claim 4, wherein the structure comprises a 1-, 2- or 3-dimensional array of n monomer units.

61. The article of claim 1, wherein the conducting polymer has a structure comprising the formula:



wherein M is a metal ion, n denotes a number of monomer units, n being at least 3, and the polymeric structure comprises linkages through at least one of any R³ - R⁶ units or X and R³ - R⁶ can be the same or different, and each is selected from the group consisting of hydrogen, C₁-C₁₀ alkyl, C₁-C₁₀ heteroalkyl, aryl, heteroaryl, carbonyl, acyl, acyloxy, —CHO, —COOR¹, —CO₂C(R¹)₃, —CONC(R¹)₂, cyano, nitro, hydroxy, hydroxyalkyl, amino, alkylamino, dialkylamino, arylamino, diarylamino, —NR¹COR², thioalkyl, thioaryl, —SO₂R¹, —SOR¹, —SO₂OR¹, F, Cl, Br, I, or where possible, any two R groups combining to form a ring structure; R¹


RECEIVED-USPTO
Patent Publication

JAN 25 2008

and R^2 can be the same or different, and each is selected from the group consisting of hydrogen, C_1 - C_{10} alkyl, C_1 - C_{10} heteroalkyl, aryl, heteroaryl, hydroxy, F, Cl, Br, and I; and X is selected from the group consisting of alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, cycloalkynyl, aryl, alkaryl, aralkyl and optionally interrupted or terminated by N, O, P, S, heteroalkyl, heteroaryl, carbonyl, acyl, acyloxy, $-\text{CHO}$, $-\text{COOR}^1$, $-\text{CO}_2\text{C}(\text{R}^1)_3$, $-\text{CONC}(\text{R}^1)_2$, cyano, alkyloxy, aryloxy, hydroxy, hydroxyalkyl, amino, alkylamino, dialkylamino, arylamino, diarylamino, $-\text{NR}^1\text{COR}^2$, thioalkyl, thioaryl, $-\text{SO}_2\text{R}^1$, $-\text{SOR}^1$, $-\text{SO}_2\text{OR}^1$, F, Cl, Br, and I; R^1 and R^2 can be the same or different, and each is selected from the group consisting of hydrogen, C_1 - C_{10} alkyl, C_1 - C_{10} heteroalkyl, aryl, heteroaryl, hydroxy, F, Cl, Br, and I, and $m = 0 - 3$.

62. The article of claim 61, wherein the structure comprises a 1-, 2- or 3-dimensional array of n monomer units.


63. The article of claim 61, wherein R_3 or R_6 comprises the formula:



64. The article of claim 61, wherein X comprises the formula:

RECEIVED-USPTO
Patent Publication

JAN 25 2008



wherein $\left(\right)$ comprises two continuous chains of atoms and $\left[W - \text{oval} \right]_n$

comprises a species selected from the group consisting of a dielectric and a conductive nanoscopic pathway, and n is an integer greater than 0.


65. The article of claim 64, wherein the continuous chains of atoms comprises chains of methylene units optionally interrupted by an atom selected from the group consisting of oxygen, nitrogen, sulfur and phosphorus.

66. The article of claim 64, wherein the continuous chains comprise chains of ethylene.


67. The article of claim 1, wherein X comprises the formula:

RECEIVED-USPTO
Patent Publication

JAN 25 2008



68. The article of claim 1, wherein the conducting polymer has a structure comprising the formula:




wherein M is a metal ion, n denotes a number of monomer units, n being at least 3, the polymeric structure comprising linkages through at least one atom in $R^7 - R^{12}$ units, and $R^7 - R^{12}$ can be the same or different, and each is selected from the group consisting of hydrogen, $C_1 - C_{10}$ alkyl, $C_1 - C_{10}$ heteroalkyl, aryl, heteroaryl, carbonyl, acyl, acyloxy, $-\text{CHO}$, $-\text{COOR}^1$, $-\text{CO}_2\text{C}(\text{R}^1)_3$, $-\text{CONC}(\text{R}^1)_2$, cyano, nitro, hydroxy, hydroxyalkyl, amino, alkylamino, dialkylamino, arylamino, diarylamino, $-\text{NR}^1\text{COR}^2$, thioalkyl, thioaryl, $-\text{SO}_2\text{R}^1$, $-\text{SOR}^1$, $-\text{SO}_2\text{OR}^1$, F, Cl, Br, and I, or where possible, any two R groups combining to form a ring structure; R^1 and R^2 can be the same or different, and each is selected from the group consisting of hydrogen, $C_1 - C_{10}$ alkyl, $C_1 - C_{10}$ heteroalkyl, aryl, heteroaryl, hydroxy, F, Cl, Br, and I.

RECEIVED-USPTO
Patent Division


JAN 25 2008

69. The article of claim 68, wherein the structure comprises a 1-, 2- or 3-dimensional array of n monomer units.



70. The article of claim 68, wherein R^{10} is:



71. The article of claim 1, wherein the conducting polymer has a structure comprising the formula:




wherein M is a metal ion, n denotes a number of monomer units, n being at least 3, the polymeric

structure comprising linkages through at least one atom in , and any , and any unit or X is selected from the group consisting of alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, cycloalkynyl, aryl, alkaryl, aralkyl and optionally interrupted or terminated by N, O, P, S, heteroalkyl, heteroaryl, carbonyl, acyl, acyloxy, —CHO, —COOR¹, —CO₂C(R¹)₃, —CONC(R¹)₂, cyano, nitro, alkyloxy, aryloxy, hydroxyl, hydroxyalkyl, amino, alkylamino, dialkylamino, arylamino, diarylamino, —NR¹COR², thioalkyl, thioaryl, —SO₂R¹, —SOR¹, —SO₂OR¹, F, Cl, Br, and I; R¹ and R² can be the same or different, and each is selected from the group consisting of hydrogen, C₁-C₁₀ alkyl, C₁-C₁₀ heteroalkyl, aryl, heteroaryl, hydroxy, F, Cl, Br, and I, and $m = 0-2$.

RECEIVED-USPTO
Patent Division

JAN 25 2008

72. The article of claim 71, wherein the structure comprises a 1-, 2- or 3- dimensional array of n monomer units.

73. The article of claim 71, wherein the four  units comprise a macrocycle.

74. The article of claim 73, wherein the macrocycle is selected from the group consisting of cyclams, phthalocyanines and porphyrins.

75. The article of claim 73, wherein the metal ion is a transition metal ion.—

This request does not involve correction of Applicant errors; accordingly no fee is required.

This Certificate of Correction implements the Amendment After Allowance Under 37 C.F.R. 1.312 filed on November 16, 2006. According to papers received by Applicant from the Patent Office, the Amendment After Allowance was “entered in part” by the Examiner. However, pursuant to correspondence with both the Examiner and the Examiner’s Supervisor, it is believed that the Amendment After Allowance should have been entered fully, and that this Certificate of Correction is proper.

Transmitted herewith is a proposed Certificate of Correction effecting such amendment. Patentee respectfully solicits the granting of the requested Certificate of Correction.

Dated: January 18, 2008

Respectfully submitted,

By 

Timothy J. Oyer, Ph.D., Registration No.: 36,628
Karen V. Martin, Ph.D., Registration No.: 61,652
WOLF, GREENFIELD & SACKS, P.C.
Federal Reserve Plaza
600 Atlantic Avenue
Boston, Massachusetts 02210-2206
(617) 646-8000

RECEIVED-USPTO
Patent Publication

JAN 25 2008

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 22

PATENT NO. : 7,186,355
APPLICATION NO. : 09/777,725
ISSUE DATE : March 6, 2007
INVENTOR(S) : Timothy M. Swager

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Specification:

At column 1, line 10, please add the following:

-- Statement Regarding Federally Sponsored Research or Development

This invention was made with the support under the following government contract: N00014-97-1-0174 awarded by the Office of Naval Research. The government has certain rights in the invention.--

At column 8, line 27, please add the following:

-- In some embodiments, an article of the present invention may comprise a nanoscopic pathway having a conductivity, an insulating dielectric surrounding the nanoscopic pathway, and a nanoscopic switch in electronic communication with the nanoscopic pathway being capable of altering the conductivity of the nanoscopic pathway. The nanoscopic pathway may comprise a conducting polymer, wherein the conducting polymer has a structure comprising the formula:

MAILING ADDRESS OF SENDER:
Timothy J. Oyer, Ph.D.
WOLF, GREENFIELD & SACKS, P.C.
Federal Reserve Plaza
600 Atlantic Avenue
Boston, Massachusetts 02210-2206

1


RECEIVED-USPTO
Patent Publication

JAN 25 2008

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 2 of 22

PATENT NO. : 7,186,355
 APPLICATION NO. : 09/777,725
 ISSUE DATE : March 6, 2007
 INVENTOR(S) : Timothy M. Swager



wherein A and C are aromatic groups; B and D can be a heteroatom or metal and chosen from a group of N, P, S, As, Se, or -CC-M-CC-(M=FeL_x, RuL_x, PdL_x, PtL_x, CoL_x, RhL_x, where L is neutral (phosphine, nitrogen, or π -arene based ligand) or charged (nitrogen, oxygen, or charged π -arene ligand), or are selected from the group consisting of a carbon-carbon double bond and a carbon-carbon triple bond; and any hydrogen on aromatic group A and C can be replaced by E and F respectively, wherein a and b are integers which can be the same or different and a = 0 - 4, b = 0 - 4 such that when a = 0, b is nonzero and when b = 0, a is nonzero, and at least one of E and F includes a bicyclic ring system having aromatic or non-aromatic groups optionally interrupted by O, S, NR¹ and CR¹₂ wherein R¹ is selected from the group consisting of hydrogen, C₁-C₂₀ alkyl, C₁-C₂₀ alkoxy and aryl and n is less than about 10,000, and wherein, when E or F is not said bicyclic ring system, E or F is a part of aromatic group A or C.

In some cases, E_a may be covalently attached to A, and the conducting polymer comprises the structure:

MAILING ADDRESS OF SENDER:
 Timothy J. Oyer, Ph.D.
 WOLF, GREENFIELD & SACKS, P.C.
 Federal Reserve Plaza
 600 Atlantic Avenue
 Boston, Massachusetts 02210-2206

2


RECEIVED-USPTO
 Patent Publication

JAN 25 2008

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 3 of 22

PATENT NO. : 7,186,355
 APPLICATION NO. : 09/777,725
 ISSUE DATE : March 6, 2007
 INVENTOR(S) : Timothy M. Swager



MAILING ADDRESS OF SENDER:
 Timothy J. Oyer, Ph.D.
 WOLF, GREENFIELD & SACKS, P.C.
 Federal Reserve Plaza
 600 Atlantic Avenue
 Boston, Massachusetts 02210-2206

3

RECEIVED-USPTO
 Patent Publication


JAN 25 2008

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION


Page 4 of 22

PATENT NO. : 7,186,355
 APPLICATION NO. : 09/777,725
 ISSUE DATE : March 6, 2007
 INVENTOR(S) : Timothy M. Swager

wherein G, H, I, and J are aromatic groups, $d = 1, 2$, and $d^1 = 0, 1$, such that when $d^1 = 0$, $d^2 = 0$ and when $d^1 = 1$, $d^2 = 0, 1$. In some embodiments, G and H may be the same or different, and each may be selected from the group consisting of:



In some embodiments, I and J may be the same or different and each is selected from the group consisting of:



MAILING ADDRESS OF SENDER:
 Timothy J. Oyer, Ph.D.
 WOLF, GREENFIELD & SACKS, P.C.
 Federal Reserve Plaza
 600 Atlantic Avenue
 Boston, Massachusetts 02210-2206


UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 5 of 22

PATENT NO. : 7,186,355
APPLICATION NO. : 09/777,725
ISSUE DATE : March 6, 2007
INVENTOR(S) : Timothy M. Swager

wherein any hydrogen in G, H, I and J can be substituted by R^2 , R^2 is selected from the group consisting of C_1 - C_{20} alkyl, aryl, C_1 - C_{20} alkoxy, phenoxy, C_1 - C_{20} thioalkyl, thioaryl, $C(O)OR^3$, $N(R^3)(R^4)$, $C(O)N(R^3)(R^4)$, F, Cl, Br, I, NO_2 , CN, acyl, carboxylate, hydroxy, R^3 and R^4 can be the same or different and each is selected from the group consisting of hydrogen, C_1 - C_{20} alkyl, and aryl, Z^1 is selected from the group consisting of O, S and NR^8 wherein R^8 is selected from the group consisting of hydrogen, C_1 - C_{20} alkyl, and aryl, and Z^2 is selected from the group consisting of F, Cl, OR^3 , SR^3 , NR^3R^4 and $SiR^8R^3R^4$.

In some embodiments, A may be selected from the group consisting of:



MAILING ADDRESS OF SENDER:
Timothy J. Oyer, Ph.D.
WOLF, GREENFIELD & SACKS, P.C.
Federal Reserve Plaza
600 Atlantic Avenue
Boston, Massachusetts 02210-2206

5

RECEIVED-USPTO
Patent Practice
JAN 25 2008

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION


Page 6 of 22

PATENT NO. : 7,186,355
 APPLICATION NO. : 09/777,725
 ISSUE DATE : March 6, 2007
 INVENTOR(S) : Timothy M. Swager

wherein any hydrogen in A can be substituted by R^5 , R^5 is selected from the group consisting of C_1 - C_{20} alkyl, aryl, C_1 - C_{20} alkoxy, phenoxy, C_1 - C_{20} thioalkyl, thioaryl, $C(O)OR^6$, $N(R^6)(R^7)$, $C(O)N(R^6)(R^7)$, F, Cl, Br, NO_2 , CN, acyl, carboxylate, hydroxy; R^6 and R^7 can be the same or different and each is selected from the group consisting of hydrogen, C_1 - C_{20} alkyl, and aryl; Z^1 is selected from the group consisting of O, S and NR^8 and R^8 is selected from the group consisting of hydrogen, C_1 - C_{20} alkyl, and aryl; B and D can be the same or different and each is selected from the group consisting of:



wherein any hydrogen in B and D can be substituted by R^9 , R^9 is selected from the group consisting of C_1 - C_{20} alkyl, aryl, C_1 - C_{20} alkoxy, phenoxy, C_1 - C_{20} thioalkyl, thioaryl, $C(O)OR^{10}$, $N(R^{10})(R^{11})$, $C(O)N(R^{10})(R^{11})$, F, Cl, Br, NO_2 , CN, acyl, carboxylate, hydroxy, R^{10} and R^{11} can be the same or different and each is selected from the group consisting of hydrogen, C_1 - C_{20} alkyl, and aryl; C may be selected from the aromatic group consisting of:



MAILING ADDRESS OF SENDER:
 Timothy J. Oyer, Ph.D.
 WOLF, GREENFIELD & SACKS, P.C.
 Federal Reserve Plaza
 600 Atlantic Avenue
 Boston, Massachusetts 02210-2206

6

RECEIVED-USPTO
 Patent Collection

JAN 25 2008


UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 7 of 22


PATENT NO. : 7,186,355
APPLICATION NO. : 09/777,725
ISSUE DATE : March 6, 2007
INVENTOR(S) : Timothy M. Swager

wherein R^{12} is selected from the group consisting of hydrogen, C_1 - C_{20} alkyl and aryl; any hydrogen in C can be substituted by F which is represented by R^{13} , R^{13} is selected from the group consisting of C_1 - C_{20} alkyl, aryl, C_1 - C_{20} alkoxy, phenoxy, C_1 - C_{20} thioalkyl, thioaryl, $C(O)OR^{14}$, $N(R^{14})(R^{15})$, $C(O)N(R^{14})(R^{15})$, F, Cl, Br, NO_2 , CN, acyl, carboxylate, hydroxy; R^{14} and R^{15} can be the same or different and each is selected from the group consisting of hydrogen, C_1 - C_{20} alkyl, and aryl; Z^2 is selected from the group consisting of O, S and NR^{16} and R^{16} is selected from the group consisting of hydrogen, C_1 - C_{20} alkyl, and aryl.

In one set of embodiments, A may be selected from the group consisting of:



and both B and D may be:



MAILING ADDRESS OF SENDER:
Timothy J. Oyer, Ph.D.
WOLF, GREENFIELD & SACKS, P.C.
Federal Reserve Plaza
600 Atlantic Avenue
Boston, Massachusetts 02210-2206

7

RECEIVED-USPTO
PLAIN FIELD, NJ

JAN 25 2008

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 8 of 22

PATENT NO. : 7,186,355
APPLICATION NO. : 09/777,725
ISSUE DATE : March 6, 2007
INVENTOR(S) : Timothy M. Swager

In the Claims, column 28, line 36, please add the following:

--5. The article of claim 1, wherein the conducting polymer is selected from the group consisting of polyaniline, polythiophene, polypyrrole, polyphenylene, polyarylene, poly(bisthiophene phenylene), a conjugated ladder polymer, polyiptycene, polytriphenylene, poly(arylene vinylene), poly(arylene ethynylene), and organic and transition metal derivatives thereof.

6. The article of claim 1, wherein a portion of the conducting polymer comprises a multi-dentate ligand.

7. The article of claim 1, further comprising a metal ion bonded to a portion of the conducting polymer.

8. The article of claim 1, wherein the nanoscopic pathway comprises a pathway of nanoparticles.

9. The article of claim 8, wherein the nanoparticles are selected from the group consisting of nanotubes, metal clusters, semiconductor clusters, colloids and fibers.

10. The article of claim 9, wherein the nanotubes are selected from the group consisting of carbon nanotubes and metallized nanotubes.

MAILING ADDRESS OF SENDER:
Timothy J. Oyer, Ph.D.
WOLF, GREENFIELD & SACKS, P.C.
Federal Reserve Plaza
600 Atlantic Avenue
Boston, Massachusetts 02210-2206

8

RECEIVED-USPTO
Patent Publication

JAN 25 2008

1315442.1

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 9 of 22

PATENT NO. : 7,186,355
APPLICATION NO. : 09/777,725
ISSUE DATE : March 6, 2007
INVENTOR(S) : Timothy M. Swager

11. The article of claim 9, wherein the colloids are selected from the group consisting of gold colloids and silver colloids.
12. The article of claim 9, wherein the colloids comprise colloidal aggregates.
13. The article of claim 9, wherein the fibers comprise graphite.
14. The article of claim 1, wherein the nanoscopic pathway comprises a biological species.
15. The article of claim 14, wherein the biological species is selected from the group consisting of DNA and redox-active enzymes.
16. The article of claim 1, wherein the nanoscopic pathway includes a metal ion.
17. The article of claim 16, wherein the metal ion is selected from the group consisting of transition metals, lanthanides and actinides.
18. The article of claim 16, wherein the metal ion is selected from the group consisting of iron, copper, nickel, cobalt, ruthenium, iridium, manganese, chromium, molybdenum, vanadium, uranium.

MAILING ADDRESS OF SENDER:
Timothy J. Oyer, Ph.D.
WOLF, GREENFIELD & SACKS, P.C.
Federal Reserve Plaza
600 Atlantic Avenue
Boston, Massachusetts 02210-2206

9

RECEIVED-USPTO
Patent Publication

JAN 25 2008

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 10 of 22

PATENT NO. : 7,186,355
APPLICATION NO. : 09/777,725
ISSUE DATE : March 6, 2007
INVENTOR(S) : Timothy M. Swager

20. The article of claim 19, wherein the dielectric comprises a polymer.

21. The article of claim 20, wherein the dielectric polymer is selected from the group consisting of polyolefins, polyesters, polyamides, polyarylenes, polyethers, polyketones, polyarylsulfides, fluoropolymers, polyacrylates, polymethacrylates, polysiloxanes, polystyrene, polyurethanes, proteins and derivatives thereof.

22. The article of claim 20, wherein the dielectric polymer comprises a gel.

23. The article of claim 20, wherein the dielectric polymer is attached to the conducting polymer.

24. The article of claim 23, wherein the dielectric polymer is attached to the conducting polymer via a chemical bond.

25. The article of claim 24, wherein the dielectric polymer is chemically bonded to the conducting polymer via a metal ion.

26. The article of claim 19, wherein the ceramic is selected from the group consisting of a metal oxide and a mixed metal oxide.

27. The article of claim 26, wherein the ceramic is a silicate.

MAILING ADDRESS OF SENDER:
Timothy J. Oyer, Ph.D.
WOLF, GREENFIELD & SACKS, P.C.
Federal Reserve Plaza
600 Atlantic Avenue
Boston, Massachusetts 02210-2206

10

RECEIVED-USPTO
Patent Examination

JAN 25 2008

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 11 of 22

PATENT NO. : 7,186,355
APPLICATION NO. : 09/777,725
ISSUE DATE : March 6, 2007
INVENTOR(S) : Timothy M. Swager

28. The article of claim 27, wherein the silicate is a porous silicate.

29. The article of claim 1, wherein the dielectric comprises a biological species.

30. The article of claim 1, wherein the dielectric includes a metal ion.

31. The article of claim 1, wherein at least a portion of the nanoscopic pathway or the dielectric comprises a block co-polymer.

32. The article of claim 31, wherein the block co-polymer includes blocks comprising a dielectric.

33. The article of claim 32, wherein the dielectric is selected from the group consisting of polyolefins, polyesters, polyamides, polyarylenes, polyethers, polyketones, polyarylsulfides, fluoropolymers, polyacrylates, polymethacrylates, polysiloxanes, polystyrene, polyurethanes, proteins and derivatives thereof.

34. The article of claim 31, wherein the block co-polymer includes blocks comprising a conducting material.

35. The article of claim 34, wherein the blocks comprising a conducting material is selected from the group consisting of a conjugated organic group and nanoparticles.

MAILING ADDRESS OF SENDER:
Timothy J. Oyer, Ph.D.
WOLF, GREENFIELD & SACKS, P.C.
Federal Reserve Plaza
600 Atlantic Avenue
Boston, Massachusetts 02210-2206

11

RECEIVED-USPTO
Patent Publication

JAN 25 2008

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 12 of 22

PATENT NO. : 7,186,355
APPLICATION NO. : 09/777,725
ISSUE DATE : March 6, 2007
INVENTOR(S) : Timothy M. Swager

36. The article of claim 35, wherein the conjugated organic group is selected from the group consisting of polyaniline, polythiophene, polypyrrole, polyphenylene, polyarylene, poly(bisthiophene phenylene), a carbon ladder polymer, polyptycene, polytriphenylene, poly(arylene vinylene), poly(arylene ethynylene), and organic and transition metal derivatives thereof.

37. The article of claim 35, wherein the nanoparticles are selected from the group consisting of nanotubes, metal clusters, colloids, and fibers.

38. The article of claim 1, wherein the dielectric is non-conducting at a first electrochemical potential range and is capable of having a resistivity of less than 10^{-4} times a resistivity at a second chemical potential.

39. The article of claim 1, wherein the nanoscopic switch is positioned in at least a portion of the dielectric.

40. The article of claim 1, wherein the nanoscopic switch is positioned in the nanoscopic pathway.

41. The article of claim 1, wherein the nanoscopic switch and the nanoscopic pathway are capable of being redox-matched.

MAILING ADDRESS OF SENDER:
Timothy J. Oyer, Ph.D.
WOLF, GREENFIELD & SACKS, P.C.
Federal Reserve Plaza
600 Atlantic Avenue
Boston, Massachusetts 02210-2206

12

RECEIVED-USPTO
Patent Publication

JAN 25 2008

1315442.1

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 13 of 22

PATENT NO. : 7,186,355
APPLICATION NO. : 09/777,725
ISSUE DATE : March 6, 2007
INVENTOR(S) : Timothy M. Swager

42. The article of claim 1, wherein the nanoscopic switch is redox-active.

43. The article of claim 1, wherein the nanoscopic switch is a metal ion.

44. The article of claim 1, wherein the nanoscopic switch comprises a biological species selected from the group consisting of DNA and a redox-active enzyme.

45. The article of claim 1, wherein the nanoscopic switch is attached to a portion of the conducting polymer.

46. The article of claim 1, wherein the nanoscopic switch is capable of being activated to alter the conductivity of the nanoscopic pathway.

47. The article of claim 46, wherein the nanoscopic switch is capable of altering the conductivity upon binding to an analyte.

48. The article of claim 1, wherein the nanoscopic pathway is a conductor within a first electrochemical potential range.

49. The article of claim 48, wherein the nanoscopic pathway is a first nanoscopic pathway, and the dielectric comprises a second nanoscopic pathway.

MAILING ADDRESS OF SENDER:
Timothy J. Oyer, Ph.D.
WOLF, GREENFIELD & SACKS, P.C.
Federal Reserve Plaza
600 Atlantic Avenue
Boston, Massachusetts 02210-2206

13

RECEIVED-USPTO
Patent Publication

JAN 25 2008

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 14 of 22

PATENT NO. : 7,186,355
APPLICATION NO. : 09/777,725
ISSUE DATE : March 6, 2007
INVENTOR(S) : Timothy M. Swager

50. The article of claim 49, wherein the second pathway is a conductor within a second electrochemical potential range.

51. The article of claim 50, wherein the second electrochemical potential range is greater than the first electrochemical potential range.

52. The article of claim 49, wherein the second pathway is DNA.

53. The article of claim 1, wherein the nanoscopic pathway and the nanoscopic switch are redox-matched.

54. The article of claim 53, wherein the nanoscopic pathway and the nanoscopic switch are redox-matched within a defined electrochemical potential range.

55. The article of claim 16, wherein the nanoscopic pathway and metal ion are not redox-matched when the metal ion has a first ligand environment, and wherein the nanoscopic pathway and the metal ion are redox matched when the metal ion has a second ligand environment.

56. A sensor comprising the article of claim 1, for detecting the presence of an analyte.

57. The sensor of claim 56, wherein the nanoscopic switch is a detection site for the analyte.

MAILING ADDRESS OF SENDER:
Timothy J. Oyer, Ph.D.
WOLF, GREENFIELD & SACKS, P.C.
Federal Reserve Plaza
600 Atlantic Avenue
Boston, Massachusetts 02210-2206

14

RECEIVED-USPTO
Patent Division

JAN 25 2008

1315442.1


UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 15 of 22

PATENT NO. : 7,186,355
 APPLICATION NO. : 09/777,725
 ISSUE DATE : March 6, 2007
 INVENTOR(S) : Timothy M. Swager

58. The sensor of claim 57, wherein the sensor further comprises two electrodes positioned at either end of the nanoscopic pathway.

59. The article of claim 1, wherein the conducting polymer has a structure comprising the formula:



wherein M is a metal ion, n denotes a number of monomer units, n being at least 3, the polymeric

structure comprising linkages through at least one atom in , and



and X are selected from the group consisting of alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, cycloalkynyl, aryl, alkaryl, aralkyl and optionally interrupted or terminated by N, O, P, S, heteroalkyl, heteroaryl, carbonyl, acyl, acyloxy, —CHO, —COOR¹, —CO₂C(R¹)₃, —CONC(R¹)₂, cyano, nitro, alkyloxy, aryloxy, hydroxyl, hydroxyalkyl, amino, alkylamino, dialkylamino, arylamino, diarylamino, —NR¹COR², thioalkyl, thioaryl, —SO₂R¹, —SOR¹, —SO₂OR¹, F, Cl, Br, and I; R¹ and R² can be the same or different, and each is selected from the group consisting of hydrogen, C1-C10 alkyl, C1-C10 heteroalkyl, aryl, heteroaryl, hydroxy, F, Cl,

MAILING ADDRESS OF SENDER:
 Timothy J. Oyer, Ph.D.
 WOLF, GREENFIELD & SACKS, P.C.
 Federal Reserve Plaza
 600 Atlantic Avenue
 Boston, Massachusetts 02210-2206

15

RECEIVED-USPTO
 PLAINFIELD

JAN 25 2008

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION


Page 16 of 22

PATENT NO. : 7,186,355
APPLICATION NO. : 09/777,725
ISSUE DATE : March 6, 2007
INVENTOR(S) : Timothy M. Swager

Br, and I, and m = 0 - 3.

60. The article of claim 4, wherein the structure comprises a 1-, 2- or 3-dimensional array of n monomer units.

61. The article of claim 1, wherein the conducting polymer has a structure comprising the formula:



wherein M is a metal ion, n denotes a number of monomer units, n being at least 3, and the polymeric structure comprises linkages through at least one of any R³ - R⁶ units or X and R³ - R⁶ can be the same or different, and each is selected from the group consisting of hydrogen, C₁-C₁₀ alkyl, C₁-C₁₀ heteroalkyl, aryl, heteroaryl, carbonyl, acyl, acyloxy, —CHO, —COOR¹, —CO₂C(R¹)₃, —CONC(R¹)₂, cyano, nitro, hydroxy, hydroxyalkyl, amino, alkylamino, dialkylamino, arylamino, diarylamino, —NR¹COR², thioalkyl, thioaryl, —SO₂R¹, —SOR¹, —SO₂OR¹, F, Cl, Br, I, or where possible, any two R groups combining to form a ring structure; R¹

MAILING ADDRESS OF SENDER:
Timothy J. Oyer, Ph.D.
WOLF, GREENFIELD & SACKS, P.C.
Federal Reserve Plaza
600 Atlantic Avenue
Boston, Massachusetts 02210-2206

16

RECEIVED-USPTO
PATENT FULFILLMENT

JAN 25 2008

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**


Page 17 of 22

PATENT NO. : 7,186,355
APPLICATION NO. : 09/777,725
ISSUE DATE : March 6, 2007
INVENTOR(S) : Timothy M. Swager

and R^2 can be the same or different, and each is selected from the group consisting of hydrogen, C_1 - C_{10} alkyl, C_1 - C_{10} heteroalkyl, aryl, heteroaryl, hydroxy, F, Cl, Br, and I; and X is selected from the group consisting of alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, cycloalkynyl, aryl, alkaryl, aralkyl and optionally interrupted or terminated by N, O, P, S, heteroalkyl, heteroaryl, carbonyl, acyl, acyloxy, $-\text{CHO}$, $-\text{COOR}^1$, $-\text{CO}_2\text{C}(\text{R}^1)_3$, $-\text{CONC}(\text{R}^1)_2$, cyano, alkyloxy, aryloxy, hydroxy, hydroxyalkyl, amino, alkylamino, dialkylamino, arylamino, diarylamino, $-\text{NR}^1\text{COR}^2$, thioalkyl, thioaryl, $-\text{SO}_2\text{R}^1$, $-\text{SOR}^1$, $-\text{SO}_2\text{OR}^1$, F, Cl, Br, and I; R^1 and R^2 can be the same or different, and each is selected from the group consisting of hydrogen, C_1 - C_{10} alkyl, C_1 - C_{10} heteroalkyl, aryl, heteroaryl, hydroxy, F, Cl, Br, and I, and $m = 0 - 3$.

62. The article of claim 61, wherein the structure comprises a 1-, 2- or 3-dimensional array of n monomer units.

63. The article of claim 61, wherein R_3 or R_6 comprises the formula:



MAILING ADDRESS OF SENDER:
Timothy J. Oyer, Ph.D.
WOLF, GREENFIELD & SACKS, P.C.
Federal Reserve Plaza
600 Atlantic Avenue
Boston, Massachusetts 02210-2206

17

RECEIVED-PTO
FROM PATENT

JAN 25 2008


1315442.1

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 18 of 22

PATENT NO. : 7,186,355
 APPLICATION NO. : 09/777,725
 ISSUE DATE : March 6, 2007
 INVENTOR(S) : Timothy M. Swager

64. The article of claim 61, wherein X comprises the formula:



wherein () comprises two continuous chains of atoms and $\left[\text{W} - \text{O} \right]_n$

comprises a species selected from the group consisting of a dielectric and a conductive

MAILING ADDRESS OF SENDER:
 Timothy J. Oyer, Ph.D.
 WOLF, GREENFIELD & SACKS, P.C.
 Federal Reserve Plaza
 600 Atlantic Avenue
 Boston, Massachusetts 02210-2206

18

RECEIVED-USPTO
 Patent Publication

JAN 25 2008

1315442.1

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 19 of 22


PATENT NO. : 7,186,355
APPLICATION NO. : 09/777,725
ISSUE DATE : March 6, 2007
INVENTOR(S) : Timothy M. Swager

nanoscopic pathway, and n is an integer greater than 0.

65. The article of claim 64, wherein the continuous chains of atoms comprises chains of methylene units optionally interrupted by an atom selected from the group consisting of oxygen, nitrogen, sulfur and phosphorus.

66. The article of claim 64, wherein the continuous chains comprise chains of ethylene.

67. The article of claim 1, wherein X comprises the formula:



MAILING ADDRESS OF SENDER:
Timothy J. Oyer, Ph.D.
WOLF, GREENFIELD & SACKS, P.C.
Federal Reserve Plaza
600 Atlantic Avenue
Boston, Massachusetts 02210-2206

19

RECEIVED-USPTO
FROM PUBLICATION


JAN 25 2008

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 20 of 22

PATENT NO. : 7,186,355
 APPLICATION NO. : 09/777,725
 ISSUE DATE : March 6, 2007
 INVENTOR(S) : Timothy M. Swager

68. The article of claim 1, wherein the conducting polymer has a structure comprising the formula:



wherein M is a metal ion, n denotes a number of monomer units, n being at least 3, the polymeric structure comprising linkages through at least one atom in R⁷ – R¹² units, and R⁷ – R¹² can be the same or different, and each is selected from the group consisting of hydrogen, C₁-C₁₀ alkyl, C₁-C₁₀ heteroalkyl, aryl, heteroaryl, carbonyl, acyl, acyloxy, —CHO, —COOR¹, —CO₂C(R¹)₃, —CONC(R¹)₂, cyano, nitro, hydroxy, hydroxyalkyl, amino, alkylamino, dialkylamino, arylamino, diarylamino, —NR¹COR², thioalkyl, thioaryl, —SO₂R¹, —SOR¹, —SO₂OR¹, F, Cl, Br, and I, or where possible, any two R groups combining to form a ring structure; R¹ and R² can be the same or different, and each is selected from the group consisting of hydrogen, C₁-C₁₀ alkyl, C₁-C₁₀ heteroalkyl, aryl, heteroaryl, hydroxy, F, Cl, Br, and I.

MAILING ADDRESS OF SENDER:
 Timothy J. Oyer, Ph.D.
 WOLF, GREENFIELD & SACKS, P.C.
 Federal Reserve Plaza
 600 Atlantic Avenue
 Boston, Massachusetts 02210-2206

20

RECEIVED-USPTO
 PAPER PUBLICATION

JAN 25 2008


UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 21 of 22


PATENT NO. : 7,186,355
APPLICATION NO. : 09/777,725
ISSUE DATE : March 6, 2007
INVENTOR(S) : Timothy M. Swager

69. The article of claim 68, wherein the structure comprises a 1-, 2- or 3-dimensional array of n monomer units.

70. The article of claim 68, wherein R¹⁰ is:



71. The article of claim 1, wherein the conducting polymer has a structure comprising the formula:



wherein M is a metal ion, n denotes a number of monomer units, n being at least 3, the polymeric

MAILING ADDRESS OF SENDER:
Timothy J. Oyer, Ph.D.
WOLF, GREENFIELD & SACKS, P.C.
Federal Reserve Plaza
600 Atlantic Avenue
Boston, Massachusetts 02210-2206

21


RECEIVED-USPTO
Patent Division


JAN 25 2008

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION


Page 22 of 22

PATENT NO. : 7,186,355
APPLICATION NO. : 09/777,725
ISSUE DATE : March 6, 2007
INVENTOR(S) : Timothy M. Swager

structure comprising linkages through at least one atom in , and

any  unit or X is selected from the group consisting of alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, cycloalkynyl, aryl, alkaryl, aralkyl and optionally interrupted or terminated by N, O, P, S, heteroalkyl, heteroaryl, carbonyl, acyl, acyloxy, —CHO, —COOR¹, —CO₂C(R¹)₃, —CONC(R¹)₂, cyano, nitro, alkyloxy, aryloxy, hydroxyl, hydroxyalkyl, amino, alkylamino, dialkylamino, arylamino, diarylamino, —NR¹COR², thioalkyl, thioaryl, —SO₂R¹, —SOR¹, —SO₂OR¹, F, Cl, Br, and I; R¹ and R² can be the same or different, and each is selected from the group consisting of hydrogen, C₁-C₁₀ alkyl, C₁-C₁₀ heteroalkyl, aryl, heteroaryl, hydroxy, F, Cl, Br, and I, and m = 0-2.

72. The article of claim 71, wherein the structure comprises a 1-, 2- or 3- dimensional array of n monomer units.

73. The article of claim 71, wherein the four  units comprise a macrocycle.

74. The article of claim 73, wherein the macrocycle is selected from the group consisting of cyclams, phthalocyanines and porphyrins.

75. The article of claim 73, wherein the metal ion is a transition metal ion.--

MAILING ADDRESS OF SENDER:
Timothy J. Oyer, Ph.D.
WOLF, GREENFIELD & SACKS, P.C.
Federal Reserve Plaza
600 Atlantic Avenue
Boston, Massachusetts 02210-2206

22

RECEIVED-USPTO
FEB 25 2008

JAN 25 2008